EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment

of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Ramyar Farid on 02/23/2009.

2. The following changes to the claims have been approved by the examiner and agreed upon

by applicant:

Claim 3 (Currently amended) The imaging device of Claim 2 Claim 1, wherein the first

case is where an electric potential of the first output line is higher than a barrier potential of

the bypass transistor, and the second case is where the electric potential of the first output

line is equal to or smaller than the barrier potential of the bypass transistor.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Kent Wang whose telephone number is 571-270-1703. The examiner

can normally be reached on 8:00 A.M. - 5:30 PM (every other Friday off).

Application/Control Number: 10/808,615

Page 3

Art Unit: 2622

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh Tran can be reached on 571-272-7564. The fax phone number for the organization where this application or proceeding is assigned is 571-270-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://portal.uspto.gov/external/portal/pair. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Tuan V Ho/ Primary Examiner, Art Unit 2622

KW 23 February 2009